

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		47 and (decod\$3 near2 (code or barcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:09
L1	18534	captur\$3 near3 (code or barcode or value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L2	23260	index\$3 near3 ((database or data-base or (data adj1 base) or DB or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L3	21636	(resigter\$3 or registration or provision \$3) near5 (content or resurc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L4	39680	(resigter\$3 or registration or provision \$3) near5 (database or data-base or (data adj1 base) or DB or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L5	56289	L4 L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L6	81384	content near3 ((database or data-base or (data adj1 base) or DB or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L7	11903	L5 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L8	746	L1 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12

L9	654	L8 and (bardcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L10	31	L2 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L11	29	L10 and (search\$4 near3 (database or data- base or (data adj1 base) or DB or server) or fuction or engin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L12	5	L11 and (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L13	163220	code near3 (value or specific or domain or product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L14	5	L12 and L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L15	5	L14 and (online or on- line or offline or off-line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L16	5	L15 and (request\$3 near2 (messag\$3 or respons\$3 or resourc \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L17	5	L16 and (content near3 (service or provid\$3 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12
L18	5	L17 and (lookup near2 (request or function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:12

L19	5	18 and index\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:13
L20	3	19 and ((resigter\$3 or registration or provision \$3) near5 (resourc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:29
L35	2	"20060075026"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:58
L36	1	35 and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 10:59
L37	10854	camera and content and (barcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:01
L38	1879	37 and mobile adj2 (telephone or phone or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:01
L39	345	38 and decod\$3 near2 (code or barcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:02
L40	4	39 and switch\$3 near2 (gateway or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:02
L41	2	("6643522" "6842462").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/17 11:04
L42	637	38 and (decod\$3 near2 (code or barcode or (bar adj1 code)) or decoder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:05
L43	25775	"62" and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:05

L44	258	42 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:05
L45	5	19 and resend\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:05
L46	526	38 and (decoder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:08
L47	238	46 and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:08
L48	238	47 and (decod\$3 near2 (code or bardcode or (bar adj1 code)) or decoder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:08
L49	105	47 and (decod\$3 near2 (code or bardcode or (bar adj1 code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:09
L50	0	49 and resend\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:10
L51	0	47 and resend\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 11:10
S1	3865	(operat\$3 or agent) near3 platform.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:32
S2	125	S1 with code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:32

S3	6560063	S2 wit receiv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:33
S4	28	S2 with receiv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:39
S5	3270	on\$1line near3 (registration or register \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:40
S6	7	S1 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:44
S7	357	UPC near3 code.dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:44
S8	196	EAN.dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:44
S9	500	S7 or S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:44
S10	17	S5 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:47
S11	49	S9 and (off\$1line and on \$1line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/13 08:47
S12	3829	on\$1line near3 (registration or register \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:39

S13	49553	(operat\$3 or agent) near3 platform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:39
S14	6945	UPC near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:40
S15	130521	EAN	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:40
S16	257	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:40
S17	5	S16 and (S14 or S15)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:40
S18	4	S17 and (off\$1line and on\$1line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:43
S19	1	S18 and (wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:44
S20	22099	log\$4 adj3 (databade or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:45
S21	36719	(off\$1line and on\$1line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:47
S22	199736	content adj3 (information or file or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:47

S23	7171	S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:48
S24	135816	S14 or S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:48
S25	329	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:48
S26	36256	log\$4 adj3 (DB or database or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 12:50
S27	675	(455/405).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 12:59
S28	1157	(455/406).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 12:59
S29	331	(455/407).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 12:59
S30	442	(455/408).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 12:59
S31	199736	content adj3 (information or file or data or servier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:00
S32	8590	S26 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:00

S33	1634	S21 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:00
S34	67	S12 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:00
S35	1857	S27 S28 S29 S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:01
S36	0	S34 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:01
S37	56	S34 and (wireless or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:01
S38	3071	UPC near3 (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:14
S39	7791	interleav\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:15
S40	97	plessey near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:15
S41	2273	one-dimension\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:15
S42	2273	one-dimension\$3 near3 (code or bardcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:15

S43	1889	PDF-417 or QR adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:16
S44	9435	two-dimension\$3 near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:16
S45	38000	wireless adj5 (content or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:18
S46	16246	data adj2 matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:21
S47	16703	color adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:21
S48	51904	S46 S47 S44 S43 S42 S41 S40 S39 S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:22
S49	919	S45 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:22
S50	1	S35 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:22
S51	24	S12 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:23
S52	74256	log\$4 adj3 (onto or WEB or user or DB or database or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:26

S53	11	S51 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 13:27
S54	3829	on\$1line near3 (registration or register \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S55	3071	UPC near3 (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S56	7791	interleav\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S57	97	plessey near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S58	2273	one-dimension\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S59	2273	one-dimension\$3 near3 (code or bardcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S60	1889	PDF-417 or QR adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S61	9435	two-dimension\$3 near3 (code or bardcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S62	38000	wireless adj5 (content or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40

S63	16246	data adj2 matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S64	16703	color adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S65	51904	S63 S64 S61 S60 S59 S58 S57 S56 S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S66	919	S62 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S67	24	S54 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S68	74256	log\$4 adj3 (onto or WEB or user or DB or database or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S69	11	S67 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:40
S70	0	S69 and (such adj2 as)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:53
S71	0	S69 and (such near2 as)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:53
S72	0	S64 and (such adj2 as)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:54

S73	0	S64 and (such).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:54
S74	1	S64 and (such)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:54
S75	4	S64 and (suc\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:54
S76	0	S69 and (su\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:56
S77	8	S69 and (as).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:57
S78	8	S69 and as.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:57
S79	8	S69 and a\$1.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 10:58
S80	4	S69 and ((content or service or standard or barcode) near3 (such or as)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 11:02
S81	2	S69 and ((content near3 service)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 11:03
S82	1	S80 and ((content near3 service)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 11:03

S83	1	S82 and ((standard near3 barcode)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 11:05
S84	1	S83 and ((operat\$3 or agent) near3 platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 11:57
S85	1	S84 and ((communication or entity) near2 platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/12 11:58
S86	3838	on\$1line near3 (registration or register \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:30
S87	36731	(off\$1line and on\$1line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:30
S88	36296	log\$4 adj3 (DB or database or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:30
S89	200003	content adj3 (information or file or data or servier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:30
S90	8593	S88 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:30
S91	1634	S87 and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:30
S92	67	S86 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:30

S93	56	S92 and (wireless or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:30
S94	56	S93 and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:40
S95	4	S94 and (direct adj2 mail \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:42
S96	1	S95 and (wireless\$3 near3 wired)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:45
S97	1	S96 and ((destination or email or e-mail or mail) near2 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:48
S98	1	S96 and ((destination or email or e-mail or mail) near2 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:48
S99	0	S98 and ((off-line or on-line) near2 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:48
S100	1	S98 and ((off\$1line or on \$1line) near2 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 10:49
S101	1	S98 and ((off\$1line or on \$1line) near2 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 11:33
S102	3838	on\$1line near3 (registration or register \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28

S103	36731	(off\$1line and on\$1line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S104	36296	log\$4 adj3 (DB or database or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S105	200003	content adj3 (information or file or data or servier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S106	8593	S104 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S107	1634	S103 and S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S108	67	S102 and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S109	56	S108 and (wireless or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S110	56	S109 and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S111	4	S110 and (direct adj2 mail\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S112	1	S111 and (wireless\$3 near3 wired)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28

S113	1	S112 and ((destination or email or e-mail or mail) near2 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S114	1	S113 and ((off\$1line or on\$1line) near2 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 15:28
S115	3071	UPC near3 (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S116	7791	interleav\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S117	97	plessey near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S118	2275	one-dimension\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S119	2275	one-dimension\$3 near3 (code or bardcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S120	1901	PDF-417 or QR adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S121	9461	two-dimension\$3 near3 (code or bardcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S122	16249	data adj2 matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15

S123	16711	color adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S124	51951	S122 S123 S121 S120 S119 S118 S117 S116 S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:15
S125	0	S114 and S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:17
S126	3838	on\$1line near3 (registration or register \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S127	3071	UPC near3 (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S128	7791	interleav\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S129	97	plessey near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S130	2275	one-dimension\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S131	2275	one-dimension\$3 near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S132	1901	PDF-417 or QR adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23

S133	9461	two-dimension\$3 near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S134	38100	wireless adj5 (content or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S135	16249	data adj2 matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S136	16711	color adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S137	51951	S135 S136 S133 S132 S131 S130 S129 S128 S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S138	919	S134 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S139	24	S126 and S138	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S140	74325	log\$4 adj3 (onto or WEB or user or DB or database or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S141	11	S139 and S140	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S142	4	S141 and ((content or service or standard or barcode) near3 (such or as)).dln.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23

S143	1	S142 and ((content near3 service)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S144	1	S143 and ((standard near3 barcode)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S145	1	S144 and ((operat\$3 or agent) near3 platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S146	1	S145 and ((communication or entity) near2 platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:23
S147	1	S114 and (application or program or software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/13 16:28
S148	3838	on\$1line near3 (registration or register \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S149	36731	(off\$1line and on\$1line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S150	36296	log\$4 adj3 (DB or database or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S151	200003	content adj3 (information or file or data or servier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S152	8593	S150 and S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53

S153	1634	S149 and S152	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S154	67	S148 and S153	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S155	56	S154 and (wireless or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S156	56	S155 and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S157	4	S156 and (direct adj2 mail\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S158	1	S157 and (wireless\$3 near3 wired)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S159	1	S158 and ((destination or email or e-mail or mail) near2 address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S160	1	S159 and ((off\$1line or on\$1line) near2 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S161	1	S160 and (application or program or software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 08:53
S162	1	S161 and (content near2 (index or identifier or identificatio or ID or identify\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:27

S163	1	S162 and ((management or manag\$3 or switch\$3 or database or server or DB) near3 (module))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:30
S164	1	S163 and ((management or manag\$3) near3 (database or server or DB))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:30
S165	1	S164 and ((value or contents or code or index or identifier or identificatio or ID or identify\$3) near3 URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:32
S166	3838	on\$1line near3 (registration or register\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S167	3071	UPC near3 (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S168	7791	interleav\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S169	97	plessey near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S170	2275	one-dimension\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S171	2275	one-dimension\$3 near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S172	1901	PDF-417 or QR adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58

S173	9461	two-dimension\$3 near3 (code or bardcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S174	38100	wireless adj5 (content or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S175	16249	data adj2 matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S176	16711	color adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S177	51951	S175 S176 S173 S172 S171 S170 S169 S168 S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S178	919	S174 and S177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S179	24	S166 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S180	74325	log\$4 adj3 (onto or WEB or user or DB or database or server or dataserver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S181	11	S179 and S180	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S182	4	S181 and ((content or service or standard or barcode) near3 (such or as)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58

S183	1	S182 and ((content near3 service)).dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S184	1	S183 and ((standard near3 barcode)).dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S185	1	S184 and ((operat\$3 or agent) near3 platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S186	1	S185 and ((communication or entity) near2 platform)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/14 09:58
S187	11839	index near2 (database or DB or (data adj1 base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S188	3416	UPC near3 (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S189	8407	interleav\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S190	115	plessey near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S191	2492	one-dimension\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S192	2492	one-dimension\$3 near3 (code or bardcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12

S193	2321	PDF-417 or QR adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S194	10442	two-dimension\$3 near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S195	17473	data adj2 matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S196	17657	color adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S197	56064	S195 S196 S194 S193 S192 S191 S190 S189 S188	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:12
S198	356	captur\$3 near5 S197	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:13
S199	6	S187 and S198	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:13
S200	5	S199 and content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:15
S201	68437	register\$3 near2 content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:16
S202	21	S198 and S201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:16

S203	3534	S187 and "54"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:16
S204	0	S187 and S202	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:17
S205	0	S204 and (index or (database or DB or (data adj1 base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:17
S206	19	S202 and (index or (database or DB or (data adj1 base)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:19
S207	29020	(database or DB or (data adj1 base)) near2 content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:28
S208	11	S206 and S207	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:28
S209	2246	S201 and S207	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:29
S210	67	S197 and S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:29
S211	356	S198 and captur\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:29
S212	35	S210 and captur\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:29

S213	9	("20020174269" "20040048602" "20040103217" "20040192358" "20060074985" "5640002" "6170060" "6546385" "7191216"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/13 11:36
S214	125612	(two-dimension\$3 or "2" or "3") near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:41
S215	60563	index near3 (database or DB or (data adj1 base) or server or table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:41
S216	164174	S195 S196 S194 S193 S192 S191 S190 S189 S188 S214	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:41
S217	6482	S215 and S216	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:42
S218	88723	(register\$3 or provision \$3) near3 content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:43
S219	1105	S217 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:43
S220	815	captur\$3 near5 S216	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:44
S221	2	S219 and S220	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:44
S222	550	S219 and captur\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:45

S223	117	S222 and barcode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:45
S224	69898	("705").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/13 11:46
S225	84649	("707").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/13 11:46
S226	104354	("235").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/13 11:46
S227	8	S223 and (S224 or S225 or S226)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:46
S228	3	("7206820").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/13 11:49
S229	364471	(content or information or log) near3 ((database or data-base or (data adj1 base) or DB or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S230	3416	UPC near3 (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S231	8407	interleav\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S232	115	plessey near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00

S233	2492	one-dimension\$3 near3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S234	2492	one-dimension\$3 near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S235	2321	PDF-417 or QR adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S236	10442	two-dimension\$3 near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S237	17473	data adj2 matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S238	17657	color adj3 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S239	56064	S237 S238 S236 S235 S234 S233 S232 S231 S230	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:00
S240	125612	(two-dimension\$3 or "2" or "3") near3 (code or barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:01
S241	18502	captur\$3 near3 (code or barcode or value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:02
S242	23236	index\$3 near3 ((database or data-base or (data adj1 base) or DB or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:03

S243	39636	(resigter\$3 or registration or provision \$3) near5 (database or data-base or (data adj1 base) or DB or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:05
S244	21611	(resigter\$3 or registration or provision \$3) near5 (content or resurc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:06
S246	56225	S243 S244	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:06
S247	81281	content near3 ((database or data-base or (data adj1 base) or DB or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:06
S248	11886	S246 and S247	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:06
S249	744	S241 and S248	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:07
S250	20210	search\$3 near2 content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:07
S251	94	S249 and S250	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:08
S252	653	S249 and (bardcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:13
S253	653	S248 and S252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:13

S254	71	S250 and S252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:13
S255	30	S242 and S252	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:14
S256	28	S255 and (search\$4 near3 (database or data- base or (data adj1 base) or DB or server) or fuction or engin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:30
S257	5	S256 and (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:31
S258	162977	code near3 (value or specific or domain or product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:36
S259	5	S257 and S258	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:38
S260	5	S259 and (online or on- line or offline or off-line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:42
S261	5	S260 and (request\$3 near2 (messag\$3 or respons\$3 or resourc \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:47
S262	5	S261 and (content near3 (service or provid \$3 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 10:49
S263	5	S262 and (lookup near2 (request or function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 11:41

S264	10109	(709/203).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 06:21
S265	18534	captur\$3 near3 (code or barcode or value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:21
S266	75	S264 and S265	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:21
S267	18696	captur\$3 near3 (code or barcode or value or (bar adj1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:29
S268	75	S264 and S267	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:29
S269	1010157	(content or information) near3 (service or provid \$3 or information or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:30
S270	64	S268 and S269	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:30
S271	23260	index\$3 near3 ((database or data-base or (data adj1 base) or DB or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:31
S272	15	S270 and S271	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:31
S273	18722	captur\$3 near3 (code or barcode or value or (bar adj1 code) or (two- dimension\$3 near3 (code or barcode)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:39

S274	239239	content near3 (service or provid\$3 or information or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:40
S275	432213	information near3 (service or provid\$3 or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:40
S276	86448	S274 and S275	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:40
S277	4735	S271 and S276	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:40
S278	206	S273 and S277	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:41
S279	21636	(resigter\$3 or registration or provision \$3) near5 (content or resurc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:41
S280	27622	(resigter\$3 or registration or provision \$3) near5 (content or resourc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:43
S281	31	S278 and S280	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:43
S282	816618	value near3 (code or bardcode or value or (bar adj1 code) or (two-dimension\$3 near3 (code or bardcode)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:46
S283	1	S281 and S264	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:46

S284	7	S281 and (value near3 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:47
S285	39680	(resigter\$3 or registration or provision \$3) near5 (database or data-base or (data adj1 base) or DB or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S286	56289	S285 S279	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S287	81384	content near3 ((database or data-base or (data adj1 base) or DB or server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S288	11903	S286 and S287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S289	746	S265 and S288	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S290	654	S289 and (bardcode or (bar adj1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S291	31	S271 and S290	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S292	29	S291 and (search\$4 near3 (database or data-base or (data adj1 base) or DB or server) or fuction or engin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S293	5	S292 and (universal adj2 product adj2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50

S294	163220	code near3 (value or specific or domain or product)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S295	5	S293 and S294	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S296	5	S295 and (online or on-line or offline or off-line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S297	5	S296 and (request\$3 near2 (messag\$3 or respons\$3 or resourc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S298	5	S297 and (content near3 (service or provid\$3 or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S299	5	S298 and (lookup near2 (request or function))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/17 06:50
S300	2	("7136367").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/17 08:13

3/ 17/ 2009 11:29:09 AM

C:\Documents and Settings\kafshar\My Documents\EAST\Workspaces\10539556.wsp